Chief Secretary's Office, Adelaide, July 8th, 1890.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for gener information.

John A. Cockburn, Chief Secretary.

Return of Births and Deaths registered in South Australia in the Month of May, 1885-1890.

	,		,	,	1		(											
Years	1385.	1886.	1887.	1888.	1889.	Average of Five					1	890,						Total for
*Population, May 1	307,949	305,832	307,489	309,951	314,388	Years.	U				319	9,138		90 E				1890.
Births	1,015	1,000	957	1,002	938	982	963								4,339			
Rate per cent	-329	•326	•311	.323	•298		•302											
Deaths-				01 18	411		All Ages.	Under l year.	l and under 5.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	Inquest	Uncertida causes of Death.	;
All causes	334	374	317	374	305	341	444	103	62	40	70	67	76	26		36	26	1,710
Rate per cent	·108	•122	104	`121	.097	_	•139	_	_	_		-	7-	_	_		_	
Diseases—  1. Specific Febrile     or Zymotic .  11. Parasitic  11. Dietic  12. Constitutional  23. V. Developmental .  24. VI. Local  25. VII. Violence  26. VII. Vill-defined and not specified	55 2 3 51 34 140 17	55 1 3 49 40 157 28	62 1 1 53 32 124 20	69 3 6 52 37 151 29	59 1 4 40 34 119 12		96 2 7 62 52 177 19	24 2 5 3 14 28 3	25 - 3 - 29 2	17 - 4 - 18 1	15 	$     \begin{array}{r}       7 \\       \hline       1 \\       12 \\       \hline       41 \\       5     \end{array} $	6 - 6 21 39 3	2 - 1 17 6				
causes	32	41	24	27	36	-	29	24	3	_	_	1	1	-	-	_		

<sup>\*</sup> The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), which at last census was 4,521, and also the aborigines, which at last census was 6,346.

Causes of Deaths registered in the Month of May, 1890.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I, Measles			Other constitutional diseases	2	3	Accidents of childbirth Diseases of locomotive sys-		-
Scarlet fever	_	1	Premature birth	13		tem		2
Relapsing fever			Cyanosis	_		Diseases of integumentary		
Influenza	3	23	Congenital defects,	1		system		_
Whooping-cough	6	5	Old age	_	38	VII.		
Diphtheria	1	20	VI.			(Accident.)		
Simple and ill-defined fever	_		Apoplexy	-	4	Fracture and contusion	_	7
Enteric fever	_	12	Epilepsy		4	Gunshot wound	- 1	
Simple cholera		_	Convulsions	7	4	Cut, stab	_	-
Diarrhœa, dysentery	11	4	Other diseases of brain and			Burn and scald	-	1
Remittent fever	_		nervous system	3	24	Poison	-	_
Venereal affections	1		Diseases of organs of special			Drowning	-	4
Erysipelas	1	2	sense	-	_	Suffocation	1	
Pyæmia and septicæmia	_	2	Diseases of circulatory sys-			Otherwise	2	-
Puerperal fever	_	3	tem	_	21	(Homicide.)		
Other zymotic diseases	1	- 1	Croup	1	9	Murder and manslaughter	-	_
II.			Bronchitis	9	14	(Suicide.)		The state of
Thrush	2		Pneumonia	3	30	Gunshot wound		
Worms and other parasitical			Pleurisy	1	2	Cut, stab	-	1
diseases	-		Other diseases of respiratory			Poison		2
III.			system	1	5	Drowning	_	_
Privation—want of breast milk	5	1	Dentition	1		Hanging		1
Alcoholism		1	Quinsy, sore throat	_	-	Otherwise		
IV.			Enteritis	-	3	VIII.		
Rheumatic fever and rheuma-			Peritonitis	_		Dropsy	-	1
tism of heart		_	Diseases of liver	1	6	Debility, atrophy, inanition	22	3
Rheumatism	-	1	Other diseases of digestive			Mortification	-	_
Gout	_		system	1	10	Tumor	-	-
Cancer, malignant disease		8	Diseases of lymphatic sys-		1324, 11	Abscess	1	
Tabes mesenterica		2	tems and of ductless glands	-	-	Hæmorrhage	-	_
Tubercular meningitis	1	3	Diseases of urinary system	-	11	Sudden, cause unascertained	-	_
Phthisis	-	40	Diseases of generative sys-	tur to		Other ill-defined and not		
Scrofula tuberculosis		2	tem	-		specified causes	1	1

## Return of Births and Deaths registered in City of Adelaide in the Month of May, 1885-90.

Years	1885.	1886.	1887.	1888.	1889.	Average of Five					18	890.						Total for
Population, Jan. 1st	43,969	45,333	42,904	43,527	43,750	Years.	44,581							1890.				
Births	106	119	88	109	104	105	150	100			1	01	ozis	140.70		Wat		459
Rate per cent	•241	-262	•205	•250	•238	10 2	ents :	200		700	-2	227		.ro.ı				
Deaths—		500		8.			All Ages.	Under 1 year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	Inquest cases.	Uncerti- fied causes of death.	
All causes	70	59	69	80	74	70	114	21	10	11	24	17	24	7	+	1	1	408
Rate per cent	·159	•130	•161	184	169	8-18	•256	1-	_	1=0		115	-	85	-	_	-	•
Diseases—  1. Specific Febrile or Zymotic .  11. Parasitic  11. Dietic  12. Constitutional .  13. V. Developmental  14. Vi. Local  15. VII. Violence  16. VIII. Ill-defined and not specified causes	4 1 2 13 11 30 2	$     \begin{array}{r}       4 \\       \hline       1 \\       8 \\       6 \\       32 \\       4     \end{array} $	7 -1 18 5 28 3	16 1 3 15 8 28 5	15 1 1 10 8 29 4		19  1 23 15 47 4	6 - 1 - 3 3 3 3	3 7	5 - 1 - 5	3 - 15 - 5 1	1 - 4 - 12	1 - 2 8 13	1 4 2				

## Causes of Deaths registered in the Month of May, 1890.

The second secon	1	1 11	auses of Deaths registered in the	de ar l'ampi s'	1	1.	1	) ***
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Yea and Above.
I.								-
Measles		_	Scrofula tuberculosis		1	Assidents of childhigh		
Scarlet fever	16		Other constitutional diseases		I	Accidents of childbirth Diseases of locomotive system	_	2
Relapsing fever	10 <u>1</u> 20		other constitutional diseases		1	Diseases of interest and	_	2
Influenza		1	v.	(re-		Diseases of integumentary	111	1.1
Whooping-cough	2	2	Premature birth	3		system	-	_
Diphtheria		3	Cyanosis	01/1	111	VII. (Accident.)		
Simple and ill-defined fever			Congenital defects	_	1	Fracture and contusion		
Enteric fever	111	5	Old age	1	12	Gunshot wound		
Simple cholera	111 -	17.37			12	Cut, stab	13.70	
Diarrhœa, dysentery	3	1	VI.			Burn and scald		
Remittent fever	-		Apoplexy		1	Poison		
Venereal affections	1		Epilepsy		2	Drowning		4 2 1 2
Erysipelas	_	100	Convulsions	1 ~ ~	ī	Suffocation	1	
Pyæmia and septicæmia		11111	Other diseases of brain and	AR .	19.00	Otherwise	2	
Puerperal fever	00	1	nervous system		8		4	
Other zymotic diseases	9		Diseases of organs of special	1	Manager 1	(Homicide.)	11 - 5h	
	E		sense	_	_	Murder and manslaughter	-	-
II.		***	Diseases of circulatory system	_	7	(Suicide.)	Tr manage	
Thrush	11/2		Croup		i	Gunshot wound	10_	_
Worms and other parasitical			Bronchitis	3	5	Cut, stab		
diseases	-	1000	Pneumonia		8	Poison	11_50	1
277			Pleurisy	112		Drowning		_
111.		111	Other diseases of respiratory		11	Hanging		
Privation—want of breast milk	1		system	_ *		Otherwise	111_	_
Alcoholism	-		Dentition					at.
IV.			Quinsy, sore throat	_	11	VIII.	71	
			Enteritis	- 68	17 <u>-</u>	Dropsy	10 1010	111
Rheumatic fever and rheuma-	18		Peritonitis	17	16	Debility, atrophy, inanition	5	-
tism of heart	-		Diseases of liver	900	1	Mortification		-
Rheumatism	-	-	Other diseases of digestive			Tumor		_
Gout	-	-	system	_	3 .	Abscess	فانساده	11
Tabes mesenterica		2	Diseases of lymphatic sys-		19.8	Hæmorrhage	12 100	_
Puboroular moningitie		1	tems and of ductless glands	F1		Sudden, cause unascertained	11_00	_
Tubercular meningitis	-	1 17	Diseases of urinary system	Debu	5	Other ill-defined and not		
IIIIIIII		17	Diseases of generative system	_	-	specified causes		1

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of May, 1890.

The state of the s	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	44,581	8,096	8,718	9,177	9,320	4,018	5,252
Persons to an acre	12.3	14.1	13.2	16.6	13.0	8.4	8.1
Births	101 46 55	20 11 9	12 8 4	27 9 18	27 9 18	8 6 2	7 3 4
Deaths	99 50 49	26 12 14	11 5 6	18 7 11	23 14 9	6 3 3	15 9 6
CLASSES.  I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	16 	3 1 1 6 13 2	5 2 3 —		6 -7 3 5 -2		3  2  9  1
Percentage of Deaths to population of each Ward	•223	•321	126	•196	•247	•149	•286

Causes of Deaths registered in the Month of May, 1890.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis		16	Accidents of childbirth	_	_
Measles	-	_	Scrofula tuberculosis	_	1	Diseases of locomotive system	_	1
Scarlet fever	-	_	Other constitutional diseases.	_	1	Diseases of integumentary		
Relapsing fever	-					system	-	-
nfluenza	-	1	V.					
Whooping-cough	2	2	Premature birth	3	_	NAT.		
Diphtheria	-	3	Cyanosis		_	VII.		
Simple and ill-defined fever	_	_	Congenital defects	_	10	(Accident.)		
Enteric fever	-	2	Old age	-	12	Fracture and contusion		-
Simple cholera	_	1 -	777			Gunshot wound	_	_
Diarrhœa, dysentery	3	1	VI.		7	Cut, stab	_	_
Remittent fever	1	_	Apoplexy		1	Poison		
Tenereal affections	1	_	Epilepsy	_	1	Drowning		
Trysipelas	-	_	Other diseases of brain and		1	Suffocation	1	
yæmia and septicæmia	-	i	nervous system	_	6	Otherwise	2	_
Puerperal fever	_		Diseases of organs of special			(Homicide.)		
Other zymotic diseases			sense	_	_	Murder and manslaughter	_	_
II.			Diseases of circulatory system		6	(Suicide.)		
hrush	_	_	Croup		1	Gunshot wound	_	_
Worms and other parasitical			Bronchitis	3	5	Cut, stab	_	-
diseases	-		Pneumonia		6	Poison	_	1
discusor * * * * * * * * * * * * * * * * * * *			Pleurisy	_	_	Drowning		_
III.			Other diseases of respiratory			Hanging	-	-
Privation — Want of breast			system	-	_	Otherwise	-	-
milk	1	_	Dentition	_	( -			
lcoholism	-	_	Quinsy, sore throat		_	VIII.		
			Enteritis	_	_	Dropsy	_	-
IV.			Peritonitis	-	-	Debility, atrophy, inanition	5	_
Rheumatic fever and rheu-			Diseases of liver	-	1	Mortification		_
matism of heart	-	-	Other diseases of digestive			Tumor	-	_
theumatism	-	-	system	-	3	Abscess		_
out	_	_	Diseases of lymphatic systems			Hæmorrhage		_
ancer, malignant disease	-	1	and of ductless glands	_	_	Sudden, cause unascertained.		-
abes mesenterica	-	1	Diseases of urinary system	-	4	Other ill-defined and not spe-		1
Subercular meningitis	-	-	Diseases of generative system	-	-	cified causes	_	-

## MAY, 1890.

The highest temperature in the shade at the Adelaide Observatory during the month was 75°·2 on the 9th; and the lowest, 44 ·5, on the 24th. The mean temperature of the month was 58°·6.

The greatest range of the thermometer in one day, 27°·8, took place on the 5th, viz., from a maximum of 73°·9 to a minimum of 46°·1; the lowest range, 9°·8, on the 22nd.

The mean height of the barometer was 30·023 inches; the maximum, 30·402 inches, occurred on the 30th; and the minimum, 29·747 inches, on the 21st.

Observatory, Adelaide, July 2nd, 1890.

C. Todd, Observer.